



SUPERYACHT COLLECTION



MAJESTY 105











Dining Area





Main Galley









Top . Owner's En Suite | Bottom . Owner's Office





Double Guest En Suite



Twin Guest Stateroom



Twin Guest En Suite





Bow Seating Cockpit Seating






Fly-bridge Seating







TECHNICAL SPECIFICATIONS

LENGTH OVERALL	106 FT 9 IN (32.56 M)
BEAM	23 FT 4 IN (7.10 M)
DRAFT	5 FT 2 IN (1.60 M)
DISPLACEMENT	120 T APPROXIMATELY
FUEL CAPACITY	4,200 US GAL (15,900 L)
FRESH WATER CAPACITY	800 US GAL (3,030 L)
BLACK WATER CAPACITY	170 US GAL (640 L)
GREY WATER CAPACITY	170 US GAL (640 L)
GENERATORS	2 X 50 KW, 50 HZ
ENGINES	2 X 1,900 HP

Please note this is the technical specifications of Majesty 105. Gulf Craft reserves the right to add, modify or delete specifications and features at any time as part of our continuous product improvement programme.

DECK FITTINGS

- Main deck. Side Gunnel Area. Swim platform and aft Cockpit.
- Side pantograph door on Main deck Port side gunwale to and
- Crew lounge.
 Elliptical side windows (10) and stainless steel framed openable
- elliptical Port holes (11) Sea side view Port hole cum
- windows (2)

 Port and Starboard side bulwark
- doors at aft and mid ship.

 Side windows (12mm thickness
- toughened glass).
 Pilot house wind screen with stainless steel trims (12mm
- thickness toughened glass). Stainless steel framed sliding door
- to Saloon.

 Water tight side deck doors on
- port and starboard side.

 Deck hatch access to chain locker.
- Forward deck hatch access for
- Owner's stateroom. Engine room Water/Gas tight door
- Lockable water tight door from aft
- cockpit to crew lounge.

 Flybridge wind deflector screen. Stainless steel Port and Starboard
- side anchor pockets. Stainless steel Hauser pipes (6)
- Stainless steel deck cleats (6).
 Stainless steel hand rails (AISI
- 316L. Stainless steel tube/pipe) Stainless Steel Stanchions.
- · Stainless steel Transom doors with
- signage 105.
- Wind screen wipers with fresh water connection.
- LED deck lighting and Flood lights
 Fuel, Water fillers and Black tank overboard discharge on side deck
- Storage within aft seat moulding.
 Ceiling lights (at aft cockpit).
- Locker with Fire damper pull-pin cables, Emergency fuel shutoff valve pull-pin cable, Engine room fire cylinder pull cable.
- Scupper drains will be provided as scupper drains will be provided as per drawing plan.
 Forward area fiber glass sofa seats
- with upholstered seats.

AFT COCKPIT

- · Stainless steel framed sliding door to main saloon.
- Teak table with stainless steel bases.
- Unholstered sofa seats
- Stainless steel stanchions
- Integral stairway to fly-bridge.Lockable water tight door to crew
- cabin.
- Stainless steel transom doors.
 Steps down to bathing platform.
- Hot and cold water transom
- shower.
- Deck wash
- 380220/V, 3-Phase, 50Hz Shore power inlet cable and cable storage.
- Locker with port and starboard side fire dampers pull-out pins, engine room fire extinguisher pull-out pin and fuel shutoff valve pull-out pin cable.
- LED lighting to fly-bridge staircase
 Ceiling speakers linked with
- Saloon entertainment system (2).
- Self draining.

FLY-BRIDGE

- Stainless steel framed sliding door to wheelhouse.
- Stairway from aft cocknit
- Wind deflector screen. Fully fitted wet bar with corian
- Stainless steel sink and tap with hot and cold water supply.
- Refrigerator
- Bar stools (3).
- Speakers linked with Saloon entertainment system (2). Upholstered sofa seating on port
- and starboard side
- Storage under sofa seats
- Upholstered helm seat.
- FRP hard top.
 Lighting on underside of hard top.
 Stainless steel stanchions to hard
- Stainless steel railings
- Self draining.

FLY-BRIDGE HELM

- Steering wheel.Port and Starboard engines displays
- Trim tab gauge and switches
- Rudder angle gauge.
- Winch control panel.
 Forward and aft search light switch
- Bow thruster control.
- Navigation displays.
 Port and Stbd engines diagnostic,
- shutdown and ignition keys. Engine Throttle.
- Auto pilot display
- Auto pilot control head.
- VHF hand set.
- Magnetic Compass. Switches of Flood light, Fly-bridge ceiling lights, Gauge lights, Deck lights Horn

SALOON

- LED TV 55"
- Home Theater system (Life style 48 Series)
- Satellite Receiver.
- Stainless steel framed sliding door
- to cockpit.
 Port and starboard side sofas.
- Sofa side tables.
 Coffee table.
- Display shelves.Windows with curtains.
- Curtains to main entrance door
- Air conditioning with control switch
- Architectural and LED decorative lighting.
- Lighting switches and AC sockets.
- Veneer/Leather/Fabric wall panels
- · Fitted carpet.

MAIN DINING

- Dining table. Dining chairs.
- Port and starboard side counters.
- Crockery shelves.
 Side windows with curtains.
- Architectural lighting.
 Lighting switches and AC sockets.
- · Air conditioning with control switch.
- Veneer/Leather/Fabric wall panels · Wooden flooring.

GALLEY

- Corian counter top.
- . S.S.Sink with hot and cold water
- Storage lockers with shelves.
- Fridge.
- Freezer Dish washer
- Oven. Induction bub.
- Teppan yaki.
- Deep fryer.Vinyl flooring
- Stair case to lower deck forward
- Side window with pleated blinds.
- Architectural lighting.
 Lighting switches and AC sockets.
- · Air conditioning with contro switch

WHEELHOUSE HELM

- Steering wheel.Engine room exhaust fan control switch
- Bilge alarm switch panel
 Navigation displays.
- Port and Starboard engine displays.
- Trim tab gauge and switch.
 Magnetic Compass.
- Rudder angle gauge.Wind shield wiper controls.
- . Bow thruster control switch Auto pilot display.
- · Engine throttle. Port and Starboard engine
- warning, ignition, diagnostic, shutdown controls. Bilge pump switches
- Navigation switches of horn, anchor light, navigation light, pilot house light, dash board light, under water lights and gauge light.
- Search light switches.
- Forward and aft Search light selector switches and control switches.
- Hydraulic steering switch panel.
- VHF Radio hand set

PANTRY

- · Lockable water tight side
- pantograph door to side deck.

 Entrance door to Galley.
- Staircase to wheelhouse
- Bottle cooler.
 Coffee machine.
- Access door to electrical cabin.
 Veneer/Leather/Fabric wall panels.
- Architectural lighting.

MAIN LOBBY

- Lockable water tight side
- pantograph door to side deck.

 Entrance door to day head toilet.
- Entrance door to owner's cabin.
- Staircase to lower deck cabins.
- Luggage cabin.Veneer/Leather/Fabric wall panels. Architectural lighting.

DAY HEAD TOILET

- · Wash basin and tap with hot and
- cold water supply. · Flectric toilet.
- Extractor fan. Mirror.
- Sanitary accessories.
- Architectural lighting. · Lighting switches and AC sockets.

OWNER'S STATEROOM

- Home Theater system (Life style 35 Series). Satellite Receiver.

- · Large double bed with drawers &
- mattress nillows and hedenreads Bed side tables.
- Wardrobes
- Desk with Drawers.
- · Counter table
- Sofa seats.
 Sofa seat side table.
- Side windows with curtains.
 Air conditioning with control
- switch
- vvvvArchitectural lighting.
- Lighting switches and AC sockets.
 Veneer/Fabric/Leather wall panels.
- Fitted carnet Entrance door to bath cabin.

- **EN SUITE** Wash basin and tap with hot and cold water supply (2).
- Mirror.
- Cabinet
- Bidet and Electric toilet. · Hot and cold water shower mixer.
- Jacuzzi.
- Extractor fan.
- Frosted glass door to shower cabin
- Architectural lighting. Sanitary accessories
- Open shelves.
 Lighting switches and AC sockets.

GUEST LOBBY

- . Stairs from main lobby Architectural lighting.
- Lighting switches.Veneer/Fabric/Leather wall panels.
- LED lighting to steps Entrance door to port double
- guest cabin.

 Entrance door to starboard double guest cabin.
- · Entrance door to port twin guest
- Entrance door to starboard twin
- guest cabin.

 Storage locker.

DOUBLE GUEST STATEROOMS (STARBOARD & PORT SIDE)

- Satellite Receiver. Large double bed with drawers
- (4) & mattresses, pillows and
- bedspreads Bed side tables
- Storm shutter storage
 Open shelves.
- Wardrobe.
 Side window with curtain. Air conditioning with control
- switch. Architectural and LED decorative lighting.
- Lighting switches and AC sockets.
 Veneer/Fabric/Leather wall panels.
- · Fitted carpet. · Entrance doors to En Suite
- **EN SUITE** Wash basin and tap with hot and
- cold water supply.
- Storage. Open shelves.
- Mirror. Port hole with pleated blinds.
- Extractor fan Flectric toilet
- Glass doors to shower cabin. · Hot and cold water shower mixer
- Sky shower. Architectural lighting.
- Sanitary accessories (tooth brush holder, soap holder, brush holder, towel hook and towel rail).

 Lighting switches and AC sockets.
- TWIN GUEST STATEROOMS

- Satellite Receiver
- 2 x Single beds with drawers & mattresses nillows and
- bedspreads. Bed side table.
- Wardrobe.

FN SIIITE

Mirror.

Onen shelves

· Electric toilet.

Sky shower

Extractor fan

- Storage.
- Architectural lighting.
 Lighting switches and AC sockets.
 Veneer/Fabric/Leather wall panels. Port hole with curtain. Air conditioning with control Vinyl flooring.
 Entrance door to En Suite
- switch Architectural lighting.

cold water supply.

- FN SIJITES · Architectural & LED decorative
- lighting. Lighting switches and AC sockets.

Wash basin and tap with hot and

Hot and cold water shower mixer

· Lighting switches and AC sockets.

Bed with mattress, pillows and

Porthole with pleated blinds.
Storage under the bed.

Air conditioning with control

Vinyl flooring.
 Entrance door to En Suite

Architectural lighting.
Lighting switches and AC sockets.
Veneer/Fabric/Leather wall panels.

Wash basin and tap with hot and cold water supply.

Hot and cold water shower mixer

Sanitary accessories (tooth brush holder, soap holder, brush holder,

Architectural lighting.
Lighting switches and AC sockets.

Stainless steel sink and tap with hot and cold water supply.

towel book, and towel rail)

Glass door to shower cabin.
Porthole with pleated blinds.

Sanitary accessories.
 Architectural lighting.

CAPTAIN'S CABIN

bedspreads.

· Bed side table.

Wardrobe.

switch.

EN SUITE

Mirror.
 Electric toilet.

Extractor fan.

CREW LOUNGE

Refrigerator.

Washing machine.

to swim platform.

switch.

• Architectural lighting.

engine room.

· Vinyl flooring

Overhead storage lockers.
Sofa seat and table.

Port holes with pleated blinds.
Stair case to aft cockpit.

Lockable water tight door leading

Lockable water/gas tight door to

Lighting switches and AC sockets.
Veneer wall panels.

Entrance door to captain cabin
Entrance door to store cabin.

FORWARD CREW CABINS (1 & 2)

· Air conditioning with control

Microwave

Hood.

· Corian counter top.

- cold water supply Veneer/Fabric/Leather wall panels.
- Fitted carpet.Entrance door to En Suite
- Electric toilet.
 - Medicine cabinet.
 - Niche.

· 2 x Single bunk beds.

Port hole with curtains

Air conditioning with control

Onen shelves

Wardrobe.

switch.

- Hot and cold water shower mixer.
- cahin Sanitary accessories (tooth brush holder, soap holder, brush holder, towel hook and towel rail).

- Vinyl flooring.Architectural lighting.Lighting switches and AC sockets.

- MISCELLANEOUS
- Fenders (6)
- First Aid kit (1). Fire blanket (1)
- Mooring ropes.Boat hooks (2). · Life rings (2).
- **ELECTRICAL SYSTEM**
- Electrical system of the boat is 3-phase, 380220/V, 50Hz.
- 3-phase dockside connection (100Amp) with cable and cable
- equipped with magnetic contactors, overload protections
- circuit breakers.
 Battery isolation switches.
- (2). 12V, 200Ah Batteries for Emergency (2).

 • 12V, 100Ah Batteries for Port
- 12V, 100Ah Batteries for Starboard Generator (2)
- 100Ah, 24V Battery charger for Service and Emergency batteries.

Engine Batteries

- 380220/V AC Main distribution 220V AC Sub distribution panel.
- panel. Lower deck 220VAC distribution
- panel. panel. 12&24VDC Navigation panel. Tank sentry monitoring panels
- located in engine room
 Fuel tanks.
- Fresh water tank Black water tank.
- · Grev water tank 220V AC Power outlets in all

Wash basin and tap with hot and

- Extractor fan.
 Foldable glass door to shower

- Tool kit (1)

- Main power supplied by two generators.
 Generator 40Kw, 50Hz (2).
- master system.

 Main switch board system
- and short circuit protections.
 Outgoing circuits protected by
- · 12V, 200Ah Batteries for Port side 12V 200Ah Batteries for Starboard
- side engine (2).

 12V, 200Ah Batteries for Service
- Generator (2)
- Batteries are charged by two battery chargers. 80Ah, 24V Battery charger for
- · Main panels are placed in engine room
- 24V DC distribution panel. Secondary distribution panels. Main deck 220VAC distribution
- cabins.

- · Cathodic protection provided by cross bonded zinc anodes
- Port and Starboard Generators isolation battery switches and interconnection panel.

 • Port and Starboard engines
- isolation switches and interconnections panel.

POWER AND DRIVE SYSTEMS

- · Power assisted electro hydraulic
- steering system.

 Direct shaft drive through tunnel. Propellers, 5-blade, AB2 material
- Rudders (2).
- P-brackets (2).
- Duplex steel tail shafts (2).
 Hydraulic trim tabs (2).
- Trim tabs switches and gauges at lower helm and main helm nosition
- Engine Throttle.
- Seawater strainers for main engines (2).

NAVIGATION SYSTEM

- 14" Multi display monitors (2).
- Raymarine (G Series)
 o GPS (2).
- o 72 NM Radars (2)
- Depth sounder (2)
- o Speed logs and wind speed (dual stations).
 o Auto pilot (dual stations).
- o VHF Radio (dual stations).
- (Navigation system upgrade is available on request as optional)
- Mast Area— equipped with Radars, Satellite antenna, Wind speed, Navigation lights, Lightening arrester, Search light (fwd and aft) and Horn
- Alarm Monitoring System for all tanks water maker smoke detectors and bilge alarm.
- · Camera monitoring system.

FUEL SYSTEM

- Fuel capacity 4000 US Gallons (15141.6 liters).
- · Port side fuel tank capacity 1839 US gallons (6961.372 Liters).
- Star hoard side fuel tank canacity
- 1839 US gallons (6961.372 Liters)
 Fuel day tank 322 US gallons
- (1218.903 Liters).

 Integrated FRP fuel tanks in engine
- Port and Star board side fuel tanks
- interconnection with Fuel day • Fuel fillers on port and starboard
- side decks.

 Manual fuel shutoff valve pull-out
- pin cable fitted at aft cockpit.
- Fuel filters for engines/generators.
 All tanks provided with manhole covers, ventilation pipes and connection pipes to manifold.

 Isolation valves to fuel manifold.
- Interconnection fuel lines are made of stainless pipes.
 Electric tank senders for all fuel

FRESH WATER SYSTEM

- Water tank capacity 800 US Gallons.
 • Pressurized hot and cold water
- system.

 24VDC Fresh water pump (1).
- 220VAC Fresh water pump (1).
 Water heaters capacity 60Lt (2)
- Water level monitoring panel located in the engine room.
- · Water maker capacity 140L/h for

- fresh water (1).
- Water filler on side deck. Electric tank sender.
- 26mm Mepla piping throughout supplying all outlets.
 32mm Mepla piping from tank to
- manifold.

 Dock connection for shore water
- supply on aft swimming platform with pressure regulator.
- Fresh water deck wash connection at aft swim platform and forward

FIRE EXTINGUISHING SYSTEM

- Fixed fire extinguisher in engine room connected with pull cable to cockpit. Fire alarm and Fire bell at
- wheelhouse and engine room. Smoke detectors in all cabins.
- · Hand operated portable fire extinguishers (12) installed for
- immediate use in all cabins. Mechanical pump with bypass valves for fire and bilge purpose
- Fresh water line connection to fire & bilge manifold for priming and
- cleaning. Plumbing are made of CuNiFer/ Stainless steel pipes.

BILGE SYSTEM

- · Bilge water high level alarm
- system.
 Electric submersible bilge pumps 2000 GPH with float switches fitted in each water tight compartment at beneath the following areas:

- Forward crew cabins.
 Guest lobby.
 Port &Starboard double guest cabin.
- Engine room.
- Crew lounge. Rudder compartment.
- Bilge suction lines are connected to manual bilge pump and mechanical pump with bypass valves for suction of the bilge water from engine room and rudder compartment.

AIR CONDITIONING SYSTEM

- · Chilled water air conditioning
- system with capacity 260 000 BTU. All compressors on 380 VAC, 3-
- phase.

 All air handlers on 220VAC, Single
- phase.
 All cabins Air handlers are
- connected with Chillers system. Chiller water pumps (2).
- Sea water pumps (2). Air conditioning control switches in all cabins.
- Plumbing lines are made of PVC
- Pipe lines are well insulated.

SAFETY EQUIPMENTS

- Solas Life jackets (15).
- 24" Life rings (2).
 Life rafts 2 x 8 persons capacity
- each side- (4).
- First Aid kit (1).
- Fire blanket (1)
- Fire dampers safety on Port and Starboard side vent shaft.
- · Portable fire extinguishers as per

OPTIONALS

· Hydraulic Swim platform

- transformer.
- Jacuzzi system.
 Stern thruster 25HP.
- Crane capacity 800 Kg.
- TRAC 370 Stabilizer system.
- Spare Propellers.
- Spare Shafts.
 Teak decking at fly-bridge.
- Intercom telephone system.
 THURAYA Satellite Phone/Fax.

- 12 x Under water lights.

 Marble flooring and counter top in
- kitchen, bath cabins and bar.

 Multi zone Audio/visual + Automation system
- Dinghy and Jetski.
- Upgraded Navigation system (customer request).
- Night vision camera monitoring



P.O. Box 666, Sheikh Khalifa Bin Zayed Street, Ajman, United Arab Emirates

T. +971 6 7406060, F. +971 6 7406062, gci@gulfcraftinc.com

www.gulfcraftinc.com

www.majesty-yachts.com

V 02. 2017

SETTING NEW STANDARDS OF LUXURY

