



## SUPERYACHT COLLECTION



# MAJESTY 105











Dining Area




Main Galley






Top. Owner's En Suite | Bottom. Owner's Office



Double Guest Stateroom



Double Guest En Suite



Twin Guest Stateroom



Twin Guest En Suite





Bow Seating

Cockpit Seating






Fly-bridge

Fly-bridge Seating







## **TECHNICAL SPECIFICATIONS**

| LENGTH OVERALL       | 106 ft 9 in (32.55 m)    |
|----------------------|--------------------------|
| BEAM                 | 23 ft 3 in (7.13 m)      |
| DRAFT                | 5 FT 3 in (1.60 m)       |
| DISPLACEMENT         | 120 t approximately      |
| FUEL CAPACITY        | 4,200 US gal (15,898 l ) |
| FRESH WATER CAPACITY | 800 US gal (3,028 l )    |
| BLACK WATER CAPACITY | 170 US gal (643 l )      |
| GREY WATER CAPACITY  | 170 US gal (643 l )      |
| GENERATORS           | 2 X 50 kW, 50 Hz         |
| ENGINES              | 2 X 1,900 hp             |

Please note this is the technical specifications of Majesty 105. Gulf Craft reserves the right to add, modify or delete specifications and features at any time as part of our continuous product improvement programme.

Please note this is the technical specifications of Majesty 105. Gulf Craft reserves the right to add, modify or delete specifications and features at any time as part of our continuous product improvement programme

#### DECK FITTINGS

- Main deck, Side Gunnel Area, Swim platform and aft Cockpit.
- Side pantograph door on Main deck Port side gunwale to and Crew lounge.
- Elliptical side windows (10) and stainless steel framed openable elliptical Port holes (11)
- Sea side view Port hole cum windows (2)
- Port and Starboard side bulwark doors at aft and mid ship. Side windows (12mm thickness
- toughened glass). Pilot house wind screen with
- stainless steel trims (12mm
- thickness toughened glass). Stainless steel framed sliding door
- to Saloon Water tight side deck doors on port and starboard side.
- Deck hatch access to chain locker
- Forward deck hatch access for Owner's stateroom.
- Uwner's stateroom.
  Engine room Water/Gas tight door.
  Lockable water tight door from aft
- cockpit to crew lounge.
- Flybridge wind deflector screen. Stainless steel Port and Starboard
- side anchor pockets. Stainless steel Hauser pipes (6)
- Stainless steel deck cleats (6).
- Stainless steel hand rails (AISI 316L, Stainless steel tube/pipe).
- Stainless Steel Stanchions Stainless steel Transom doors with signage 105.
- Wind screen wipers with fresh water connection.
- LED deck lighting and Flood lights. Fuel, Water fillers and Black tank overboard discharge on side deck.
- · Storage within aft seat moulding. Ceiling lights (at aft cockpit).
   Locker with Fire damper pull-pin cables, Emergency fuel shutoff valve pull-pin cable, Engine room
- fire cylinder pull cable. Scupper drains will be provided as per drawing plan.
  Forward area fiber glass sofa seats
- with upholstered seats.
- AFT COCKPIT
- Stainless steel framed sliding door
- to main saloon • Teak table with stainless steel
- bases.
- Unholstered sofa seats
- Stainless steel stanchions Integral stairway to fly-bridge
- Lockable water tight door to crew
- Stainless steel transom doors.
- Steps down to bathing platform.
  Hot and cold water transom shower.
- Deck wash.
  380220/V, 3-Phase, 50Hz Shore power inlet cable and cable
- storage.
  Locker with port and starboard side fire dampers pull-out pins, engine room fire extinguisher pull-out pin and fuel shutoff valve
- pull-out pin cable. LED lighting to fly-bridge staircase. · Ceiling speakers linked with
- Saloon entertainment system (2). Self draining.

### FLY-BRIDGE

- · Stainless steel framed sliding door
- to wheelhouse. Stairway from aft cockpit.
- Wind deflector screen.
  Fully fitted wet bar with corian
- top. Stainless steel sink and tap with
- hot and cold water supply
- Refrigerator.
  Bar stools (3).
- Speakers linked with Saloon
- opeakers inked with saloon entertainment system (2).
  Upholstered sofa seating on port
- and starboard side. Storage under sofa seats
- Upholstered helm seat.
- FRP hard top.
  Lighting on underside of hard top.
- Stainless steel stanchions to hard
- top. Stainless steel railings.
- Self draining.

#### FLY-BRIDGE HELM

- Steering wheel
- Port and Starboard engines displays.
- Trim tab gauge and switches
- Rudder angle gauge. Winch control panel
- · Forward and aft search light
- switch. Bow thruster control
- Navigation displays.
  Port and Stbd engines diagnostic,
- shutdown and ignition keys. Engine Throttle.
- Auto pilot display
- Auto pilot control head.
  VHF hand set.
- Magnetic Compass
- Switches of Flood light, Fly-bridge ceiling lights, Gauge lights, Deck lights Horn

#### SALOON

- LED TV 55" Home Theater system (Life style 48 Series).
- Satellite Receiver Stainless steel framed sliding door
- to cockpit.
- Port and starboard side sofas. Sofa side tables.
- Coffee table.
- Display shelves.
- Windows with curtains. Curtains to main entrance door
- Air conditioning with control
- switch. Architectural and LED decorative
- lighting. Lighting switches and AC sockets.
- Veneer/Leather/Fabric wall panels
- Fitted carpet.

#### MAIN DINING

- Dining table.
- Dining chairs.
  Port and starboard side counters.
- Crockery shelves.
- Side windows with curtains.
  Architectural lighting.
  Lighting switches and AC sockets.
- conditioning with control switch.
- Veneer/Leather/Fabric wall panels Wooden flooring.

#### GALLEY

Corian counter top.S.S.Sink with hot and cold water

Large double bed with drawers &

Bed side tables

Wardrobes.

Sofa seats.

Fitted carpet.

EN SUITE

Mirror

Cabinet

Jacuzzi. Extractor fan.

cabin. Architectural lighting.

Desk with Drawers

Sofa seat side table

Side windows with curtains.

Lighting switches and AC sockets.
Veneer/Fabric/Leather wall panels

Wash basin and tap with hot and cold water supply (2).

Hot and cold water shower mixer

Lighting switches and AC sockets.

· Veneer/Fabric/Leather wall panels.

guest cabin.Entrance door to starboard double

· Entrance door to port twin guest

Entrance door to starboard twin

DOUBLE GUEST STATEROOMS

(STARBOARD & PORT SIDE)

Large double bed with drawers

(4) & mattresses, pillows and

Side window with curtain. Air conditioning with control

Architectural and LED decorative

Lighting switches and AC sockets.
Veneer/Fabric/Leather wall panels.

Wash basin and tap with hot and

Port hole with pleated blinds.

Glass doors to shower cabin.

Hot and cold water shower mixer

Sanitary accessories (tooth brush

holder, soap holder, brush holder, towel hook and towel rail).

Lighting switches and AC sockets.

TWIN GUEST STATEROOMS

(STARBOARD & PORT SIDE)

Entrance doors to En Suite

cold water supply.

Storage. Open shelves.

Extractor fan

Sky shower.
Architectural lighting.

Electric toilet

LED lighting to steps.
Entrance door to port double

· Air conditioning with control

switch. vvvvArchitectural lighting.

Entrance door to bath cabin

Bidet and Electric toilet.

Frosted glass door to shower

Sanitary accessories

Stairs from main lobby

Architectural lighting.
Lighting switches.

Open shelves.

GUEST LOBBY

guest cabin.

guest cabin. • Storage locker.

I ED TV 32"

Satellite Receiver

bedspreads

Wardrobe

switch

lighting.

· Fitted carpet.

EN SLITE

Mirror.

Bed side tables

Storm shutter storage.
Open shelves.

cabin.

Counter table.

mattress pillows and bedspreads

• LED TV 26".

hedspreads

Bed side table.

Storage.Port hole with curtain.

Wardrobe

lighting.

EN SUITE

Mirror.

Open shelves

Electric toilet

Sky shower.
Extractor fan.

Satellite Receiver.

2 x Single beds with drawers & mattresses, pillows and

· Air conditioning with control

Air conditioning with control switch.Architectural lighting.Architectural & LED decorative

Lighting switches and AC sockets.

Veneer/Eabric/Leather wall nanels

Wash basin and tap with hot and

Hot and cold water shower mixer

Glass door to shower cabin

Sanitary accessories.

CAPTAIN'S CABIN

bedspreads.

Bed side table

switch.

EN SUITE

Mirror.

Electric toilet

Extractor fan.

CREW LOUNGE

Refrigerator.

Hob.Microwave.

Hood

Corian counter top.

Washing machine.

Overhead storage lockers.

Stair case to aff cockpit.

to swim platform

Veneer wall panels.

Vinyl flooring.

engine room.

switch

Sofa seat and table.Port holes with pleated blinds.

Lockable water tight door leading

· Lockable water/gas tight door to

Architectural lighting.
Lighting switches and AC sockets.

Entrance door to captain cabin.

FORWARD CREW CABINS (1 & 2)

Entrance door to store cabin

Air conditioning with control

Porthole with pleated blinds.

Architectural lighting.
Lighting switches and AC sockets.

· Bed with mattress, pillows and

Wardrobe.
Porthole with pleated blinds.

Storage under the bed.
Air conditioning with control

Vinyl flooring.
Entrance door to En Suite

cold water supply.

Architectural lighting.
Lighting switches and AC sockets.
Veneer/Fabric/Leather wall panels.

Wash basin and tap with hot and

Hot and cold water shower mixer

Sanitary accessories (tooth brush holder, soap holder, brush holder,

Architectural lighting.
Lighting switches and AC sockets.

Stainless steel sink and tap with hot and cold water supply.

towel hook, and towel rail)

Fitted carpet.
Entrance door to En Suite.

cold water supply.

• 2 x Single bunk beds.

Wardrobe.
Port hole with curtains.

· Air conditioning with control

Entrance door to En Suite

cold water supply.

Medicine cabinet

Lighting switches and AC sockets.
Veneer/Fabric/Leather wall panels.

Wash basin and tap with hot and

Hot and cold water shower mixer

· Foldable glass door to shower

Sanitary accessories (tooth brush

holder, soap holder, brush holder, towel hook and towel rail).

Vinyl flooring.Architectural lighting.Lighting switches and AC sockets.

Open shelves.

switch. Architectural lighting.

Vinvl flooring

Electric toilet

Extractor fan.

MISCELLANEOUS

Fenders (6).

First Aid kit (1)

Fire blanket (1)

Tool kit (1) Mooring ropes.
Boat hooks (2).
Life rings (2).

ELECTRICAL SYSTEM

Electrical system of the boat is 3-phase, 380220/V, 50Hz.

Main power supplied by two

generators. Generator 40Kw. 50Hz (2).

master system.Main switch board system

circuit breakers.

engine (2)

3-phase dockside connection

(100Amp) with cable and cable

equipped with magnetic contactors, overload protections and short circuit protections.

12V 200Ah Batteries for Port side

12V. 200Ah Batteries for Starboard

side engine (2). 12V, 200Ah Batteries for Service

Outgoing circuits protected by

Battery isolation switches.

12V, 200Ah Batteries for

Emergency (2). • 12V, 100Ah Batteries for Port

Generator (2). Batteries are charged by two

battery chargers. 80Ah, 24V Battery charger for Engine Batteries.

100Ah, 24V Battery charger for Service and Emergency batteries.
 Main panels are placed in engine

room. 380220/V AC Main distribution

220V AC Sub distribution panel.

24V DC distribution panel.

Secondary distribution panels.

Main deck 220VAC distribution

Lower deck 220VAC distribution

12&24VDC Navigation panel.

Tank sentry monitoring panels located in engine room.

Grey water tank. 220V AC Power outlets in all

panel.

panel.

panel

Euel tanks

cabins.

Fresh water tank.

Black water tank.

Generator (2). • 12V, 100Ah Batteries for Starboard

EN SUITES

Niche.

cabin.

- supply. Storage lockers with shelves

Side window with pleated blinds.

Architectural lighting.
Lighting switches and AC sockets.
Air conditioning with control

Engine room exhaust fan control

- Fridge
- Freezer.Dish washer
- Oven.
- Induction hub. Teppan vaki.
- Deep frver. Vinyl flooring.
  Stair case to lower deck forward

cahins

switch

switch.

WHEELHOUSE HELM

Bilge alarm switch panel

Navigation displays.
Port and Starboard engine

Rudder angle gauge.
Wind shield wiper controls.

Bow thruster control switch

Port and Starboard engine

Bilge pump switches.
Navigation switches of horn

Search light switches.
Forward and aft Search light

switches

PANTRY

VHE Radio hand set.

Lockable water tight side

Staircase to wheelhouse

Lockable water tight side

Bottle cooler.
Coffee machine.

MAIN LOBBY

Luggage cabin.

Architectural lighting.

DAY HEAD TOILET

cold water supply.

Sanitary accessories

Architectural lighting.

**OWNER'S STATEROOM** 

Electric toilet

Mirror.

• 1 FD TV 46"

Satellite Receiver

Extractor fan.

pantograph door to side deck.
Entrance door to Galley.

· Access door to electrical cabin

Veneer/Leather/Fabric wall panels.
 Architectural lighting.

pantograph door to side deck.
Entrance door to day head toilet

Entrance door to owner's cabin.

Staircase to lower deck cabins

Veneer/Leather/Fabric wall panels.

· Wash basin and tap with hot and

· Lighting switches and AC sockets

Home Theater system (Life style 35 Series).

selector switches and control

Hydraulic steering switch panel.

warning, ignition, diagnostic,

anchor light, navigation light, pilot

house light, dash board light, under water lights and gauge light.

Magnetic Compass.

Auto pilot display.

shutdown controls.

Engine throttle.

Steering wheel.

- Cathodic protection provided by cross bonded zinc anodes.
- Port and Starboard Generators isolation battery switches and
- interconnection panel. Port and Starboard engines isolation switches and
- interconnections panel.

#### POWER AND DRIVE SYSTEMS

- · Power assisted electro hydraulic steering system. Direct shaft drive through tunnel.
- Propellers, 5-blade, AB2 material (2)
- Rudders (2).
- P-brackets (2).
  Duplex steel tail shafts (2). Hydraulic trim tabs (2)
- Trim tabs switches and gauges at lower helm and main helm position.
- Engine Throttle. Seawater strainers for main engines (2).

#### NAVIGATION SYSTEM

- 14" Multi display monitors (2).
  Raymarine (G Series) o GPS (2).
- o 72 NM Radars (2)
- o Depth sounder (2).
- o Speed logs and wind speed (dual stations).
  o Auto pilot (dual stations).
- o VHF Radio (dual stations). (Navigation system upgrade is available on request as
- optional) Mast Area– equipped with Radars, Satellite antenna, Wind speed, Navigation lights, Lightening arrester, Search light (fwd and aft) and Horn
- Alarm Monitoring System for all tanks, water maker, smoke detectors and bilge alarm.
- Camera monitoring system.

#### FUEL SYSTEM

- Fuel capacity 4000 US Gallons
- (15141.6 liters).Port side fuel tank capacity 1839 US gallons (6961.372 Liters).
- Star board side fuel tank capacity 1839 US gallons (6961.372 Liters) Fuel day tank 322 US gallons
- (1218 903 Liters) Integrated FRP fuel tanks in engine
- room. Port and Star board side fuel tanks interconnection with Fuel day
- tank.
- Fuel fillers on port and starboard side decks.
  Manual fuel shutoff valve pull-out
- pin cable fitted at aft cockpit. Fuel filters for engines/generators.
- All tanks provided with manhole covers, ventilation pipes and connection pipes to manifold.
- Isolation valves to fuel manifold.
   Interconnection fuel lines are
- made of stainless pipes.
- Electric tank senders for all fuel tanks.

#### FRESH WATER SYSTEM

- Water tank capacity 800 US
- Gallons · Pressurized hot and cold water
- system.
  24VDC Fresh water pump (1).
- 220VAC Fresh water pump (1) Water heaters capacity 60Lt (2)
- Water level monitoring panel located in the engine room.
- · Water maker capacity 140L/h for

- transformer.
- Jacuzzi system.
  Stern thruster 25HP.
  Crane capacity 800 Kg.
  - TRAC 370 Stabilizer system.
  - Spare Propellers.
     Spare Shafts.

  - Teak decking at fly-bridge.
    Intercom telephone system.
    THURAYA Satellite Phone/Fax.

  - 12 x Under water lights.
    Marble flooring and counter top in
  - kitchen bath cabins and bar.
  - Multi zone Audio/visual +
  - Automation system.
  - Dinghy and Jetski.
    Upgraded Navigation system
  - (customer request). Night vision camera monitoring system.

• Fixed fire extinguisher in engine room connected with pull cable to cockpit

fresh water (1).

area

Water filler on side deck

Electric tank sender.
26mm Mepla piping throughout

supplying all outlets.32mm Mepla piping from tank to manifold.

Dock connection for shore water supply on aft swimming platform with pressure regulator.

Fresh water deck wash connection at aft swim platform and forward

FIRE EXTINGUISHING SYSTEM

- Eire alarm and Eire bell at wheelhouse and engine room. Smoke detectors in all cabins.
- Hand operated portable fire extinguishers (12) installed for
- immediate use in all cabins.
- Mechanical pump with bypass valves for fire and bilge purpose
- (1)
- Fresh water line connection to fire & bilge manifold for priming and cleaning.Plumbing are made of CuNiFer/
- Stainless steel pipes.

#### BILGE SYSTEM

- Bilge water high level alarm
- Electric submersible bilge pumps 2000 GPH with float switches fitted in each water tight compartment at beneath the following areas:
- Forward crew cabins
  Guest lobby. Port &Starboard double guest
- cabin. Engine room.
- Crew lounge.
   Rudder compartment. Bilge suction lines are connected
- to manual bilge pump and mechanical pump with bypass valves for suction of the bilge water from engine room and

rudder compartment.

#### AIR CONDITIONING SYSTEM

- Chilled water air conditioning All compressors on 380 VAC, 3-
- phase. · All air handlers on 220VAC, Single All cabins Air handlers are
- connected with Chillers system. Chiller water pumps (2).
- Sea water pumps (2).
  Air conditioning control switches
- in all cabins. • Plumbing lines are made of PVC
- pipes.
  Pipe lines are well insulated.

#### SAFETY EQUIPMENTS

- Solas Life jackets (15).
- 24" Life rings (2).
  Life rafts 2 x 8 persons capacity each side- (4).
- First Aid kit (1).
  Fire blanket (1)
- Fire dampers safety on Port and
- Starboard side vent shaft. Portable fire extinguishers as per plan.

- OPTIONALS
- · Hydraulic Swim platform

57



P.O. Box 666, Sheikh Khalifa Bin Zayed Street, Ajman, United Arab Emirates T. +971 6 7406060, F. +971 6 7406062, gci@gulfcraftinc.com

### www.gulfcraftinc.com

www.majesty-yachts.com

V 03. 2017

 $\Lambda$ 

Pictures in this catalogue may be taken from different vessels of the same type for example purpose only. Performance estimates are given in good faith, but are in no way guaranteed. Dirt on the hull, damage to the propellers, external water and air temperatures and added weight, fuel and water carried can all adversely affect performance. For these and other reasons we can give no performance guarantees. Data and characteristics are not binding: details, colors, descriptions and illustrations are for information purpose only. The drawings and pictures may include specific equipment or modifications which are not part of the standard specifications of the vessel. Standard specifications may be defined differently in different sales territories. Gulf Craft Inc. reserves the right to make any changes in specifications or equipment without prior notice. In case on any inconsistencies between specification sheet, product catalogue and price list, the price list prevails. Customers are recommended to contact one of our sales representatives to reconfirm standard and optional features on the vessels.



SETTING NEW STANDARDS OF LUXURY

