



## SUPERYACHT COLLECTION















Dining Area

Combining state-of-the-art engineering and advanced technology with iconic design and splendour, the Majesty 110 is a 33m superior superyacht, designed with freedom and lifestyle in mind, this superyacht extends across three spacious decks.




Saloon Balcony

Main Galley



Owner's Stateroom





Owner's En Suite



Jacuzzi

-17 K ET. 250 20 15 Fi red FI Fel Fel red Fd Fil Fd FH Fil Fd FH Fil FI FH 田 Fil 펀 E E

VIP Stateroom




Top. VIP En Suite | Bottom. Gym



Double Guest Stateroom



Double Guest En Suite



Twin Guest Stateroom

As you step inside this sublime superyacht you won't fail to marvel at the breathtaking finishes that adorn the Majesty 110, featuring only the finest marble countertops and parquet flooring throughout. The spacious en-suite staterooms can accommodate 10 guests and five crew.



Top. Crew Cabin | Bottom. Crew Quarters

Twin Guest En Suite





Swim Platform

Cockpit Seating Area

Spend your days relaxing in the outdoor custom-made spa on the upper deck, which overlooks the endless ocean and offers first-class outdoor entertainment.





Bow Area

Fly-bridge





For the layout of the Majesty 110, please feel free to contact us

# **TECHNICAL SPECIFICATIONS**

LENGTH OVERALL	113 ft 2 in (34.50 m)
BEAM	23 ft 4 in (7.13 m)
DRAFT	5 ft 5 in (1.65 m)
DISPLACEMENT	154 t approximately
FUEL CAPACITY	4,400 US gal (16,277 l )
FRESH WATER CAPACITY	970 US gal (3,672 l )
BLACK WATER CAPACITY	175 US gal (662 l )
GREY WATER CAPACITY	220 US gal (832 l )
GENERATORS	2 X 55 kW, 50 Hz
ENGINES	2 X 1,900 hp

Please note this is the technical specifications of Majesty 110. Gulf Craft reserves the right to add, modify or delete specifications and features at any time as part of our continuous product improvement programme.

Please note this is the technical specifications of Majesty 110. Gulf Craft reserves the right to add, modify or delete specifications and features at any time as part of our continuous product improvement programme

#### HULL AND SUPERSTRUCTURE CONSTRUCTION

- FRP sandwich construction with M-Foam closed core cell applied by the way of vacuum bagging below the design waterline
- Hand layup unidirectional fiberglass inforcements with balsa fill cored above the design waterline
- Lamination with isopathalic polyester resin and skin coat with vinylester resin
- Solid fiberglass laminate keel and chines Foam core reinforced stringer system
  Hand layup M-Foam sheet frames and
- hulkheads

#### SUPERSTRUCTURE

 FRP sandwich lamination with balsa core sandwich

#### Hand layup M- Foam sheet frames

#### DECK FITTINGS

- Teak laid deck at aft cocknit\_swim platform, and stairway
  2 x hydraulic anchor windlasses with fore
- deck and helm controls

  2 x stainless steel anchor pockets for
- anchor launch and retrieve
- 2 x kedge anchors SHHP 97 kg with galvanized iron chains 16 mm diameter, 110 m length
- Deck hatch access to chain locker
- 2 x capstans on port and starboard side Forward deck hatch access to VIP cabin
- Full set of navigation lights Forward and aft search light with dual
- station controls Electric air horn Black tank over board discharge on
- Side deck
  Fuel and fresh water fillers on side deck
- Stainless steel guard rails
  Port and starboard side windows
- Front wind screen · Wind screen wipers with fresh water
- wash system 4 x deck cleats, two on forward area, and
- two on aft cockpit
  6 x hawser pipes, two on forward, two on
- aft cocknit and two on amidshins Fresh water deck wash outlets at swim
- platform and forward area Water tight side deck doors on port and
- starboard side Side pantograph door on upper deck
- side paintograph door on appendeek starboard side gunwale to wheel house
   Hydraulic power operated garage door

#### **Exterior Specifications** Sun Deck

- · Stainless steel stanchions to hard top
- Stainless steel guard railings
- FRP hard top
- Wind deflector screen · Fully fitted wet bar with counter top
- Stainless steel sink and tap with hot and cold water supply
- Fridge
- Ice maker
- Electric barbeque · Upholstered sofa seating on port and
- Port and starboard side teak tables
- Storage under the sofa seats
  Upholstered helm seat
  Lighting on underside of hard top

- 4 x bar stools
  Self draining

#### SUNDECK HELM POSITION

Sundeck helm position instruments and controls

Steering wheel Port and starboard engine's displays Port and starboard engine's control

· Helm seat with fore and aft adjustment

Low counters for storage

Wooden flooring

and controls

panels

Steering wheel

Engine throttle

Stabilizer display

Steering joystick panel

Camera system display Bow thruster control

Magnetic compass Rudder angle indicator

Trim tab gauge

Navigation displays

Autopilot display

2 x Wind displays

Bilge pumps control panel Main switch board display

Trim tab switches Front wind screen wiper controls

Anchor winch control panels

panel and control panel

VHF radio with hand set

Emergency control panel

Horn switch

signage.

Architectural lighting

LED lighting to staircase
 Entrance door to owner's cabin

Lighting switches

Marble flooring

OWNER'S CABIN

Large double bed

Bed side tables

Sofa and table

Storage counte

Side windows with electric roman blinds
 Air conditioning

Architectural lighting
Lighting switches and AC sockets
Wooden flooring

Carpet with design
 Door with glass design to owner's

Vanity counter with marble ton

· Hot and cold water shower mixed

Shower seat Glass door to shower room

Complete set of sanitary accessories

· Lighting switches and AC sockets

Architectural lighting

Marble flooring

2 x wash basin and tap with hot and cold

Drawers to bed

bathroom

**Owner's Bathroom** 

water supply

Vanity mirror
 Overhead lockers

Flectric toilet

Head shower

Hand shower

• Bidet

Jacuzzi

Wardrobes
 Vanity desk with chair

LOBBY

Forward and aft search light selector

Light switches panel with switches of

anchor lights, underwater lights, pilot lights, forward flood lights, dashboard,

navigation lights, instrument lights,

 Architectural lighting Lighting switches and AC sockets

Air conditioning
Port and starboard side windows

WHEEL HOUSE HELM POSITION

Wheel house helm position instruments

Port and starboard side engine's displays

Port and starboard side engine's control

Stabilizer pump selector control panel Steering system control panel

Engine room exhaust fan control panel

Alarm monitoring system display

Fire alarm detection control

Main Deck

DINING AREA

Dining chairs

Air conditioning

Wooden flooring

MAIN GALLEY

Induction hob
Ice maker

Bottle cooler

Refrigerator

Coffee machine

Microwave Oven
 Dishwasher

Overhead cabinets

Air conditioning

LAUNDRY / STORAGE

Stairway to crew lobby

Entrance door to dayhead

Stair case to lower deck

Lighting switches and AC sockets
 Audio/ video room with storage on top

· Wash basin and tap with hot and cold

Vanity mirror
 Complete set of sanitary accessories

Lighting switches and AC sockets
 Marble flooring

Storage for weight lifting equipments

Architectural lighting

Storage cabinets

MAIN LOBBY

Storage area

DAY HEAD

water supply • Electric toilet

GYMNASIUM

 Wooden flooring Architectural lighting
 Lighting switches and AC sockets

· Door to VIP cabin

• Large double bed

Vanity desk with chair

Bed side tables

Low counter
 Storage counter

ShelvesDrawers to bed

Storage under bed

Air conditioning

 Architectural lighting Lighting switches and AC sockets

Fitted carpetLong term and hidden storages

Side windows with electric roman blinds

Wardrobes

Drawers

VIP CABIN

Seat

Architectural lighting

Marble flooring

Stainless steel sink with hot and cold

water

Side windows with pleated blinds

Architectural lighting
Lighting switches and AC sockets

Door to laundry/storage area

Storage with shelves

 Electric curtains to patio door Air conditioning
 Architectural lighting

• Dining table with glass top

Lighting switches and AC sockets

Port and starboard lower counters

Architectural lightingLighting switches and AC sockets

Entrance door to main galley

Side windows with electric privacy blinds and roman blinds with blackout

Hot and cold water shower mixer

 Lighting switches and AC sockets. Marble flooring

Complete set of sanitary accessories

Side window with electric roman blinds

LED decorative lighting
Lighting switches and AC sockets

PORT TWIN GUEST BATHROOM

Vanity counter with marble top

· Wash basin and tap with hot and cold

Hot and cold water shower mixer

Complete set of sanitary accessories

Head shower Porthole with pleated blinds

Glass door to shower room

Lighting switches and AC sockets
 Marble flooring.

STARBOARD TWIN GUEST CABIN

Side window with electric roman blinds Air conditioning

STARBOARD TWIN GUEST BATHROOM

· Wash basin and tap with hot and cold

LED decorative lighting Lighting switches and AC sockets

Architectural lighting

2 x Single heds

1 x Pullman bed

Drawers to beds

Vanity desk with chair

Architectural lighting

Fitted carpet
 Entrance door to bathroor

Vanity counter with marble top

Hot and cold water shower mixer
 Head shower

Porthole with pleated blinds

Complete set of sanitary accessories

Counter topStainless steel sink and tap with hot and

Lockable water/gas tight door to engine

Architectural lighting Lighting switches and AC sockets

Glass door to shower room

water supply

Open shelves

Marble flooring

CREW LOUNGE

cold water supply

room Air conditioning

• Vinyl flooring

Large bed

Bed side table

CAPTAIN'S CABIN

Architectural lighting

Refrigerator
 Overhead storage lockers

Sofa seats and table
Portholes with pleated blinds

Lighting switches and AC sockets

· Entrance door to captain's cabin

WardrobePorthole with pleated blinds

Vanity mirror

Electric toilet

Bed side table

Wardrobe

Entrance door to bathroom

Head shower

• 2 x Single beds

1 v Pullman her

Bed side table

Fitted carpet

water supply

Vanity mirror

Open shelves
Electric toilet

Drawers to beds
 Vanity desk with chair

Air conditioning Architectural lighting

Wardrobe

Architectural lighting

PORT TWIN GUEST CABIN

VIP BATHROOM

water supply

Overhead lockers

Vanity mirro

Electric toilet

Extractor fan

Head showe

Marble flooring

LOWER DECK

GUEST LOBBY

Stairs from main lobby

Architectural lighting

Lighting switches

Storage

Bidet

Niche

Vanity counter with marble top
2 x wash basin and tap with hot and cold

Hot and cold water shower mixe

Architectural lighting
Complete set of sanitary accessories

LED lighting to steps
 Entrance door to port double guest cabin

Entrance door to starboard double guest

cabin Entrance door to port twin guest cabin

Side windows with electric roman blinds

Entrance door to starboard twin guest

PORT DOUBLE GUEST CABIN

Large double bed

Vanity desk with chair

Air conditioning

LED decorative lighting

Entrance door to bathr

Architectural lighting
 Lighting switches and AC sockets

PORT DOUBLE GUEST BATHROOM

Wash basin and tap with hot and cold

Vanity counter with marble top

Porthole with pleated blinds

Glass doors to shower room

Head showerArchitectural lighting

Large double bed

Bed side tables
Drawers to bed

Wardrobe

Fitted carpet

BATHROOM

water supply

Vanity mirror

Electric toilet

Vanity desk with chair

Air conditioning

LED decorative lighting

Storm shutter storage

· Hot and cold water shower mixe

Complete set of sanitary accessories

STARBOARD DOUBLE GUEST CABIN

Escape hatch through wardrobe to port side double guest cabin

· Side window with electric roman blinds

Architectural lighting
 Lighting switches and AC sockets

Entrance door to bath roon

STARBOARD DOUBLE GUEST

Vanity counter with marble top

Porthole with pleated blinds

Glass door to shower room

· Wash basin and tap with hot and cold

Lighting switches and AC sockets
 Marble flooring

Storm shutter storage

Bed side tables
Drawers to bed

Wardrobe

Fitted carpet

water supply

Vanity mirror

Electric toilet

Lighting switches and AC sockets

Glass doors to shower room

- nanel Trim tab gauge
- Rudder angle gauge
- Magnetic compass Forward and aft search light control
- nanels Trim tabs control switches
- Bow thruster control
- Navigation displays Engine's throttle
- Autopilot display
- 2 x Wind displays VHF hand set
- Switches of Instrument lights, deck lights, flood lights, ceiling lights, horn

#### UPPER DECK

- · Stainless steel stair way with teak steps
- from upper deck to sundeckStarboard side pantograph door to
- wheel house
- Jacuzzi system
- Awning machine on aft side
- Head shower with hot and cold water supply
- Storage under sofa seats
- Escape hatch from VIP cabin
   Stainless steel stanchions
- Stainless steel railings
- Steps to bow area
   Stairway to main deck port side gunwale
- Lighting switches and AC outlet Self draining

#### MAIN DECK

- Integral stairway from main deck to
- upper deckPort side gunwale stairway from main
- deck to upper deck Stainless steel framed sliding door to main saloon from aft cockpit
- Stainless steel framed sliding door to main saloon from starboard side balcony
- Side pantograph door to crew lounge
- located on starboard side gunwale Starboard side lockable door for main lobby
- Port side lockable door for main galley
- Teak table with stainless steel bases Upholstered sofa seats
- Storage under sofa seats
- Stainless steel stanchions Stainless steel transom doors
- Bulwark doors on port and starboard
- side aft cockpit 2 x Pop-up cleats at swim platform, each
- on port and starboard side
- Steps down to swim platform
- Hot and cold water transom shower at swim platform
- Recessed locker with port and starboard
- side fire dampers pull handle, engine
- room fixed fire extinguisher pull handle and fuel shutoff valve pull handle at
- aft cockpit
- LED lighting to upper deck staircase
  Self draining
- AFT COCKPIT STARBOARD SIDE DOCKING STATION
- Aft cockpit starboard side docking station instruments and controls as below: Engine throttle
- Rudder angle indicator
- Engine's control panel Bow thruster control
- Steering joystick

## INTERIOR SPECIFICATIONS

UPPER DECK : WHEEL HOUSE

- Storage under the bed
- · Air conditioning
- Architectural lighting
   Lighting switches and AC sockets
- Vinyl flooring
- Entrance door to bathroom

#### CAPTAIN'S CABIN BATHROOM

- · Wash basin and tap with hot and cold
- water supply

  Vanity mirror
- Electric toilet
- Curtains for shower area
- Teak shower tray
- Hand shower
- Hot and cold water shower mixer
  Complete set of sanitary accessories
- Architectural lighting
  Lighting switches and AC sockets
- CREW CABIN 01
- 2 x single bunk beds
- Open shelves
- Wardrobe
- Porthole with roman blinds
- Air conditioning
- Architectural lighting
- Lighting switches and AC sockets
   Vinyl flooring
- Niche
- Entrance door to bathroom

#### CREW CABIN 01 BATHROOM

- Wash basin and tap with hot and cold
- water supply
- Electric toilet Medicine cabinet
- Niche
- Hot and cold water shower mixer
- Hand shower
- Foldable glass door to shower room
- Complete set of sanitary accessories
   Architectural lighting
   Lighting switches and AC sockets

#### CREW CABIN 02

- Fire escape hatch to gymnasium
- 2 x single bunk beds Open shelves
- Wardrobe
- Porthole with roman blinds
- Air conditioning Architectural lighting
- Lighting switches and AC sockets
- Vinvl flooring Entrance door to bathroom

#### CREW CABIN 02 BATHROOM

- Crew Cabin 02 Bathroom · Wash basin and tap with hot and cold
- water supply Electric toilet
- Medicine cabinet
- Niche
- Hot and cold water shower mixer
- Hand shower
  Foldable glass door to shower room
- · Complete set of sanitary accessories
- Architectural lighting
   Lighting switches and AC sockets

#### Systems Onboard Engine room equipments

- 2 x main engines
- 2 x generators
- Alarm monitoring display · Underwater exhaust system
- · Air conditioning chillers on port and
- starboard side Chillers control panels
- Fire dampers
   Intakes for air circulation
- Fire Escape hatch from engine room to main saloon
- Extractor fans
- · Electric and manual oil exchange system for engines, gear boxes, and

- generators Sea water cooling system for engines
  - and generators Temperature sensors on engine water
  - iackets Fresh water outlets

control at sundeck helm

display at main helm

2 x GPS antenna 2 x radars (6 kW)

Stern light

Mast light

light

Main saloon

Apple TV

Anchor light

Night vision camera system

2 x Garmin thru hull bronze transducer

Garmin GMI 20 marine instrument

Garmin GMI 20 marine instrument

second station at sun deck helm

Camera monitoring system (5 areas);

Navigation lights according to the international regulations
 Navigation lights (red and green)

Not Under Command lights Mast fitted on the sundeck hardtop;

hooks signals and with all necessary

equipment to antennas, radars, wind

arrester, horn, forward and aft search

speed, navigation lights, lightening

iPAD mini with launch port charger

Owner's cabin (including bathroom)
 BeoVision Avant 55" TV

2 x BeoLab 17 rear speakers on wall

PAD mini with launch port charger

2 x BeoLab 3 speakers on ceiling mount Satellite receiver

ENTERTAINMENT SYSTEM

BeoVision Avant 75" TV

BeoRemote one

ReoRemote one

BeoSound Essense

Satellite receiver

BeoRemote one

BeoSound Essense

Essence remote

Satellite receiver

BeoRemote one

Satellite receive

BeoRemote one

Satellite receive

BeoRemote one

Satellite receiver

BeoRemote one

Satellite receiver

8" flush mount speaker

8" flush mount speaker

6 x 8" flush mount speaker

Apple TV

Apple TV

Main galley

Sundeck

• Gym

Apple TV

Apple TV

Apple TV

VIP cabin

Essence remote 6.5" flush mount speaker

Beo Link passive amplifier

BeoVision Avant 55" TV

6.5" ceiling mount speaker

BeoLink passive amplifier

• Port double guest cabin

BeoVision 11 - 40" LED TV

Starboard double guest cabin

BeoVision 11 - 40" LED TV

Port twin guest cabin
BeoVision 11 - 40" LED TV

Starboard twin guest cabin
BeoVision 11 - 40" LED TV

bracket

Apple TV

the mast provided with lines and

sundeck, main deck aft cockpit, engine room, main deck port side gunwale main deck starboard side gunwale

display at sundeck helm Garmin VHF 200i at main helm with

Upper deck
4 x 8" flush mount speakers

x 8" flush mount speakers

2 x 8" flush mount speakers

POWER AND DRIVE SYSTEMS

Electro-hydraulic servo assisted steering

Direct shaft drive through tunnel

Hydraulic bow thruster 65 hp
2 x propellers, 5-blade, AB2 material

• FRP fuel tanks with total capacity 4613

Port and starboard side fuel tanks interconnection with fuel day tank

Fuel fillers on port and starboard side

decks Manual fuel shutoff valve connected with

pull handle located at aft cockpit Fuel filters for engines and generators

All tanks provided with manhole covers.

Interconnection fuel lines are made of stainless steel pipes

• FRP fresh water tank with capacity 1000

Pressurized hot and cold water system

230V AC fresh water pump
3 x water heaters (each capacity 100 l)

Water maker capacity 140 l/h for fresh

Mepla piping throughout supplying all

Dock connection for shore water supply

on aft swimming platform with pressur

Fresh water deck wash connection at aft

Auto float switches in each water tight compartment beneath the following area:

Bilge suction lines connected to manual

diaphragm pump and electric pumps

with bypass valves for suction of the

bilge water from engine room, rudde

compartment and forward area.

Chilled water air conditioning system

All compressors on 400 VAC. three phase

All air handlers on 230 VAC, single phase

· All air handlers connected with chillers

2 x sea water pumps Air conditioning control switches in all

· Plumbing lines are made of PVC pipes

with total capacity 174,000 Btu

AIR CONDITIONING SYSTEM

system

areas

2 x chilled water pumps

Pipe lines are well insulated

AIR HANDLER LOCATIONS UPPER DECK PORT SIDE

• Wheel house 🛙 18,000 BTU

Owner's cabin 2 18,000 BTU
Owner's bathroom 2 12,000 BTU

UPPER DECK STARBOARD SIDE

swim platform and forward area

Bilge water high level alarm system

Isolation valves to fuel manifold

ventilation pipes and connection pipes to

Main deck aft cockpit

Forward deck area

system

2 x rudders

2 x P-brackets

FUEL SYSTEM

manifold

Electric tank sensors

FRESH WATER SYSTEM

US gal (3785.41 l)

24V DC fresh water pump

water • Water filler on side deck

Electric tank senders

Forward crew cabin

Bow thruster area

Forward water heater area Engine room

Rudder compartment

Guest lobby

outlets

regulator

 2 x duplex steel tail shafts • 2 x hydraulic trim tabs

US gal (17.462.10 l)

• Owner's cabin aft 🛙

Owner's cabin fwd

MAIN DECK PORT SIDE

Saloon aft 2 24 000 BTU

Dining area 2 18,000 BTU
 Main galley 2 x 18,000

VIP cabin 2 18,000 BTU

MAIN DECK STARBOARD

Saloon aft 2 24.000 BTU

Saloon fwd 2 12,000 BTU
Dining area 2 24,000 BTU

Main lobby 2 18 000 BTH

VIP cabin 2 18, 000 BTU

LOWER DECK PORT SIDE

• Captain's cabin 🛙 12,000

Twin guest cabin 2 12,000

Double guest cabin

• Crew cabin 01 2 6,000

12,000 BTU

BTU

BTU

RTH

BTU

BTU

INSULATION

Ceiling sides and

rock wool

bulkheads of engine room

completely insulated with

Accommodation space

and superstructure

insulation foam

bulkhead

Sound stop insulation

All insulation on ship

between the engine room

and double guest cabin's

sides and decks properly

sealed with aluminum

tape where foreseen

SAFETY EQUIPMENTS

19 x life jackets for adults

2 x life rings
4 x liferafts (each capacity)

8 persons)

6 x fenders

• First aid kit

Fire blanket

Mooring ropes

83

2 x boat hooks

Tool kit

MISCELLANEOUS

insulated with sound

LOWER DECK

STARBOARD SIDE

• Crew lounge 🛙 18,000

• Double guest cabin 🛙

• Twin guest cabin 🛙 12,000

Crew cabin 02 
 <sup>1</sup>
 <sup>0</sup>
 6,000

12,000 BTU

18,000 BTU

18,000 BTU Upper deck lobby

12 000 BTU Wheel house 2 18,000

BTU

RTH

SIDE

- Submersible electric bilge pumps
- Lockable water/gas tight door Smoke detector and heat detector
- Battery chargers Battery banks
- Battery bank switch panels
- ELECTRICAL SYSTEMS
- Electrical system of the boat is 3-phase, 230400/ V AC, 50 Hz
- · Main power supplied to yacht by two
- generators 3-phase dockside connection (100 A)
- Main switch board system equipped
- with magnetic contactors, overload otections and short circuit protections Outgoing circuits protected by circuit
- hreakers Battery isolation switches 2 x 12 V, 200 Ah batteries for port
- 2 x 12 V, 200 Ah batteries for starboard engine
- 2 x 12 V 200 Ah batteries for service 2 x 12 V, 200 Ah batteries for machinery
- 2 x 12 V 200 Ab batteries for
- emergency 2 x 12 V, 100 Ah batteries for port
- 2 x 12 V, 100 Ah batteries for starboard
- generator Batteries are charged by three battery
- chargers
  - 100 A. 24 V battery charger for service and machinery batteries 30 A, 24 V battery charger for engine
  - hatterie 30 A, 24V battery charger for generator
  - batteries Main panels are placed in the
  - passageway to captain's cabin in crew lounge
  - Main switch board 400 VAC, 3 PN, 50 400230/ VAC main distribution panel
  - (1&2) 24 V DC distribution panel
  - Secondary distribution panels located Upper deck distribution panel (wheel
  - house' Main deck distribution panel (main deck lobby)

lounge

- Lower deck distribution panel (lower deck guest lobby)
- Main galley & crew cabin panel (Laundry/storage) 24V DC navigation panel (wheel house) Emergency system panel (wheel house) Aft crew and engine room panel crew

230V AC power outlets in all areas

· Cathodic protection provided by cross

bonded zinc anodes Port and starboard generators battery

bank switch panel located at engine

Port and starboard engines battery

bank switch panel located at engine

Service and machinery battery bank

switch panel located at aft cockpit

3 x 17" multi touch display monitors

on the main helm 2 x 15" multi touch display monitors

(GRID) Garmin remote input device at

2 x Garmin remote sounder GSD 24

2 x Garmin GHC 20 marine autopilot

control at main helm 2 x Garmin GHC 20 marine autopilot

NAVIGATION SYSTEM

Garmin navigation system

on the sundeck helm

2 x Garmin SD card reader

main helm



P.O. Box 666, Sheikh Khalifa Bin Zayed Street, Ajman, United Arab Emirates T. +971 6 7406060, F. +971 6 7406062, gci@gulfcraftinc.com

### www.gulfcraftinc.com

www.majesty-yachts.com

V 03. 2017

 $\Lambda$ 

Pictures in this catalogue may be taken from different vessels of the same type for example purpose only. Performance estimates are given in good faith, but are in no way guaranteed. Dirt on the hull, damage to the propellers, external water and air temperatures and added weight, fuel and water carried can all adversely affect performance. For these and other reasons we can give no performance guarantees. Data and characteristics are not binding: details, colors, descriptions and illustrations are for information purpose only. The drawings and pictures may include specific equipment or modifications which are not part of the standard specifications of the vessel. Standard specifications may be defined differently in different sales territories. Gulf Craft Inc. reserves the right to make any changes in specifications or equipment without prior notice. In case on any inconsistencies between specification sheet, product catalogue and price list, the price list prevails. Customers are recommended to contact one of our sales representatives to reconfirm standard and optional features on the vessels.



SETTING NEW STANDARDS OF LUXURY

