

MAJESTY  *YACHTS*

SUPERYACHT COLLECTION



155

MAJESTY 155







Main Saloon





Dining Area



Main Galley

Thanks to Gulf Craft's very own Design Studio, the elaborate and sophisticated exterior and interior detailing of the Majesty 155 emanates opulence in both style and functionality – from premium quality fabrics to lavish furnishings, while its naval architect was completed in Italy by Yankee Delta Studio.




Main Lobby - Elevator



Cigar Lounge



Owner's Stateroom



Top. Owner's Seating | Bottom. Owner's En Suite



Double Guest Stateroom



Double Guest En Suite

The 47m superyacht, Majesty 155, offers unequivocal luxury, with six expansive stateroom that can sleep up to 14 guests. While an elevator that carries guests between the lower, main, and upper decks offers added onboard convenience.



Twin Guest Stateroom



Twin Guest En Suite



Top . Upper Deck Saloon | Bottom . Captain's Cabin



Wheelhouse



Beach Club

Those looking to spend time under the sun's golden rays will find comfort in the superyacht's dedicated beach club. An ornately designed fountain is situated on the sun deck, and a beautiful waterfall cascades from the sun deck into the craft's Jacuzzi on the upper deck.



Sun Deck



Sun Deck Seating




Upper Deck Waterfall









SUN DECK



UPPER DECK



MAIN DECK



LOWER DECK

The layouts shown are some of the possible options and do not necessarily correspond to the standard version.

TECHNICAL SPECIFICATIONS

LENGTH OVERALL	154 ft 2 in (46.97 m)
BEAM	31 ft 6 in (9.60 m)
DRAFT	6 ft 8 in (2.05 m)
DISPLACEMENT	390 t approximately
FUEL TANK CAPACITY	14,770 US gal (55,910 l)
FRESH WATER TANK CAPACITY	2,230 US gal (8,441 l)
BLACK TANK CAPACITY	440 US gal (1,665 l)
GREY TANK CAPACITY	440 US gal (1,665 l)
GENERATORS	2 X 125 kW, 50 Hz
ENGINES	2 X 2,012 hp

Please note this is the technical specifications of Majesty 155. Gulf Craft reserves the right to add, modify or delete specifications and features at any time as part of our continuous product improvement programme.

Please note this is the technical specifications of Majesty 155. Gulf Craft reserves the right to add, modify or delete specifications and features at any time as part of our continuous product improvement programme.

Hull and superstructure construction

- Hull**
- GRP with closed core cell foam applied by the way of vacuum bagging
- First layer laminated Vinylester resin
- Outer skin laminated by Isopathalic polyester resin
- Gurit core frames and bulkheads
- Quadrixial, biaxial and E- glass for inner and outer skin laminate
- Solid fiberglass laminate keel and chines

Super structure

- Core cell foam laminated by Quadrixial, biaxial and E-glass for inner and outer skin laminate

Mooring

- 2 x 260 kg capacity galvanized iron high holding power balanced anchors
- 2 x 220 m length, 19 mm diameter galvanized iron stud link chains for anchors
- 2 x hydraulic windlasses
- 2 x stainless steel anchor pockets for anchor launch and retrieve
- 10 x hawser pipes, located on each side in the area:
 - 4 x at bow area
 - 2 x at mid ship
 - 2 x at aft cockpit
 - 2 x at aft swim platform
- 10 x stainless steel cleats, located on each side:
 - 4 x at bow area
 - 2 x at mid ship
 - 4 x at aft cockpit
- 2 x vertical capstans at aft cockpit

Deck fittings

- Water tight pantograph door on the port side gunwale for access to main deck galley
- Water tight pantograph door on the starboard side gunwale for access to main lobby
- Water tight door at aft cockpit for access to garage
- 2 x water tight pantograph doors at wheel house, each on port and starboard side for access to side gunwale
- Sliding door on the main deck starboard side gunwale for balcony
- Sliding door on the starboard side at owner's cabin for balcony
- Port and starboard side bulwark doors at aft cockpit and mid ship
- Deck hatch access to chain compartment
- Fresh water deck wash outlets
- Fuel and water filters
- Stainless steel handrails
- Front wind screen wipers with fresh water washing system
- Lighting around the side deck
- Upholstered sofa seats and tables at forward area
- Storage within the forward sofa seat moulding
- Round shape fixed portholes
- Rectangular shape fixed windows
- Wheel house front wind screen
- Side windows at main deck and upper deck
- Balcony platform at main deck starboard side gunwale
- Balcony platform at owner's cabin starboard side
- Stair way to upper deck on the port gunwale
- Stair way to upper deck on the starboard side gunwale

Main deck aft cockpit

- Electric patio door to saloon
- Cockpit lighting
- Fixed table with stainless steel bases
- Upholstered sofa seats
- Storage within aft seat moulding
- Integral stairway to upper deck aft cockpit
- Stairs down to garage
- Steps to down bathing platform
- Stainless steel stanchions

- Hydraulic passerella
- Marquipt ladder

Garage

- Overhead crane 1,500 kg capacity
- Electro- hydraulic power operated garage door for opening/closing on starboard side
- Sliding type water tight/fire door between the garage and engine control room
- Water tight/fire door between the beach club and garage
- Stair case to main deck aft cockpit

Upper deck

- Electric sliding door to upper deck lounge
- Upholstered sofa seats on port and starboard side
- Stair way to main deck aft cockpit
- Stair way on the port and starboard side gunwale to sun deck
- Stainless steel railings
- 6 x life rafts (10 persons each capacity)
- Jacuzzi system

Sundeck

- Upholstered "U" shaped sofa seats and tables on port and starboard side
- Storage within the sofa seat moulding
- Stainless steel framed wind deflector screen
- Sun lounge
- Seats at sun lounge
- Storage counter
- Sun beds on port and starboard side
- Bar counter
- 5 x bar stools
- Service counter
- Sink and tap with hot and cold water supply
- Fiberglass hard top
- Lighting on underside of hard top
- Deck lights

Teak decking

- Main deck aft cockpit, swim platform, bow area, port and starboard side gunnel area
- Upper deck aft cockpit, port and starboard side gunnel area
- Sun deck

Main helm

- 2 x electric helm seats
- Main helm position instruments and controls
 - Port and starboard engine displays
 - Bow thruster control
 - Fire detection alarms
 - Forward and aft search light controls
- Port and starboard side engine room electric fan controls
 - Gyro compass
 - Magnetic compass
 - Steering wheel
 - Horn switch
 - Engine throttle
 - Autopilot
 - Wiper controls
 - Whistle control
 - Port and starboard windlass controls
 - Stabilizer display
 - Navigation displays
 - Rudder angle indicator
 - VHF radio
 - Alarm and monitoring system panel
 - Bilge pumps switch

Main deck aft docking station

- Main deck aft docking station controls:
 - Engine control switches
 - Bow thruster joystick
 - Engine throttle
 - Horn switch

Upper deck port docking station

- Upper deck port side docking station controls:
 - Engine control switches
 - Bow thruster joystick
 - Engine throttle
 - Horn switch

Upper deck starboard docking station

- Upper deck starboard side docking station controls:
 - Engine control switches
 - Bow thruster joystick
 - Engine throttle
 - Horn switch

Electrical system

- Electrical system of the boat is 3-phase, 380/415/ V, 50 Hz (limiting fluctuations in shore power voltage to +/- 4%)
- Main power supplied to yacht by two generators (125 kW)
- Backup generator 16 kW
- 60 kW shore power transformer frequency inverter
- 2 x 380/415/ V, 50 Hz, 3-phase, 100A dockside connection with cable master system
- Power management and load sharing protection system
- 2 x 12 V, 270 Ah batteries for port side engine
- 2 x 12 V, 270 Ah batteries for starboard side engine
- 2 x 12V, 100Ah batteries for port side generator
- 2 x 12 V, 100 Ah batteries for starboard side generator
- 2 x 12 V, 100 Ah batteries for backup generator
- 2 x 12 V, 200 Ah batteries for service
- 2 x 12 V, 270 Ah batteries for machinery
- 2 x 12 V, 200 Ah batteries for emergency bank
- 2 x 12 V, 100 Ah batteries for GMDSS batteries
- Batteries are charged by six battery chargers
 - 100 A, 24 V battery charger for service and machinery batteries
 - 100 A, 24 V battery charger for port and starboard engine batteries
 - 80 A, 24 V battery charger for emergency batteries
 - 30 A, 24 V battery charger for generator batteries
 - 30 A, 24 V, battery charger for backup generator batteries
 - 30 A, 24 V, battery charger for GMDSS batteries
- Main switch board system equipped with magnetic contactors, overload protections and short circuit protections
- 380/415/ V panel is equipped with the following apparatus for each generator
 - Volt meter with select switch
 - Frequency indicator
 - Ampere meter with current transformers
 - Watt meter
 - Signal light on
 - Signal light alarm
 - Signal light disconnect
- For shore connections:
 - Volt meter with select switch
 - Ampere meter with current transformers
 - Phase sequence meter
 - Signal light connect
 - Signal light disconnect
 - Signal light shore energized
- For 24 V system:
 - Voltmeter for general service battery
 - Voltmeter with change over switch for the engine starting batteries
 - Ampere meter
 - Outgoing circuits protected by circuit breakers
 - Protection to the phase line sequence
 - 220 VAC power outlets in all cabins
 - Tank sentry system for all tanks
 - Emergency lighting in all areas
- 2 x electric fans for the engine room venting system
- 2 x electric blowers for the garage
- Air extraction system for all bathrooms
- Under water lights all around

- Main switch board system equipped with magnetic contactors, overload protections and short circuit protections

- 380/415/ V panel is equipped with the following apparatus for each generator
 - Volt meter with select switch
 - Frequency indicator
 - Ampere meter with current transformers
 - Watt meter
 - Signal light on
 - Signal light alarm
 - Signal light disconnect
- For shore connections:
 - Volt meter with select switch
 - Ampere meter with current transformers
 - Phase sequence meter
 - Signal light connect
 - Signal light disconnect
 - Signal light shore energized
- For 24 V system:
 - Voltmeter for general service battery
 - Voltmeter with change over switch for the engine starting batteries
 - Ampere meter
 - Outgoing circuits protected by circuit breakers
 - Protection to the phase line sequence
 - 220 VAC power outlets in all cabins
 - Tank sentry system for all tanks
 - Emergency lighting in all areas
- 2 x electric fans for the engine room venting system
- 2 x electric blowers for the garage
- Air extraction system for all bathrooms
- Under water lights all around

Navigation system

- Navigation equipments as follows:
 - 2 x 26" Navigation displays
 - 26" ECDIS display
 - 2 x GS 95 display
 - Echo sounder display
 - 2 x 10 kW radars
 - GMDSS A3 station
 - Autopilot control display

- Gyro compass
- Magnetic compass
- ROT display
- Wind display
- Water speed display
- Navtex receiver
- VHF radio
- 3 x portable VHF radio
- AIS system
- DGPS system
- AMI control panel
- EPIRB
- 2 x SART
- Mast area equipped with radars, satellite antenna, horn , wind speed, navigation lights, lightning arrester, horn, search light fwd and aft
- Camera monitoring system (pan/tilt/zoom) 5 areas; 1@ sundeck, 1@ main deck aft cockpit and 2@ engine room, 1@ main deck port side gunwale, 1@ main deck starboard side gunwale
- Night vision camera monitoring system
- Navigation lights according to the international regulations
 - Navigation lights (red and green)
 - Stern light
 - Head on mast
 - Fwd mast light
 - Anchor light on mast
 - NUC Light -1
 - NUC Light -2

Communication system

- Phonetech communication system connected with following areas:
 - Wheel house
 - Owner's cabin
 - Main saloon
 - VIP cabin
 - Double guest cabin (port side)
 - Double guest cabin (starboard side)
 - Twin guest cabin (port side)
 - Twin guest cabin (starboard side)
 - Main galley
 - Cigar lounge
 - Captain cabin
 - Crew cabin 1 (port side)
 - Crew cabin 2 (starboard side)
 - Crew cabin 3 (port side)
 - Crew cabin 4 (starboard side)
 - Crew lounge & pantry
 - Engine room
 - Beach club
 - Elevator

Alarms and monitoring system

- Alarm and monitoring display panels located at wheel house, engine room and crew lounge: Alarm monitor panel can display of all tanks level indication; navigation lights control and monitoring; bilge sensors; status of hatches and doors; status of each fire detection zones; voltage of batteries and status of chargers; status of pumps; port and starboard side exhaust gas temperature.

Entertainment system

Double guest cabin (port side)

- 55" UHD TV
- Programming 2 H
- Stereo ceiling speaker
- Ipad mini 16 GB Wi-Fi
- Cover case for Ipad mini
- Smart link receiver with control
- Wi-Fi access point
- Flat mount kit for Zonelflex

Double guest cabin (starboard side)

- 55" UHD TV
- Programming 2H
- Stereo ceiling speaker
- Ipad mini 16GB Wi-Fi
- Cover case for Ipad mini
- Smart link receiver with control

Twin guest cabin (port side)

- 40" Smart Evolution 3d Full HD LED TV
- Stereo ceiling speaker
- Ipad mini 16 GB Wi-Fi
- Cover case for Ipad mini
- Smart link receiver with control
- Wi-Fi access point
- Flat mount kit for Zonelflex

Twin guest cabin (starboard side)

- 40" Smart Evolution 3d Full HD LED TV
- Stereo ceiling speaker
- Ipad mini 16 GB Wi-Fi
- o Cover case for Ipad mini
- Smart link receiver with control

Crew galley

- 32" LED TV
- Digital media receiver
- iPod touch 32 GB
- Blu-ray disc player
- Waterproof Ipod case
- Satellite receiver

Aft Beach club

- 55" UHD TV
- Ceiling speaker
- Smart link receiver with control
- Ipad mini 16 GB Wi-Fi
- Waterproof Ipod case

Bow seating area

- Ceiling speaker
- Ipad mini 16GB Wi-Fi
- Cover case for Ipad mini

VIP cabin

- 55" UHD TV
- Subwoofer amplifier
- Ceiling speaker
- Ceiling sub woofer
- Ipad mini 16 GB Wi-Fi
- 7.2 Ch AV receiver
- Security sleeve for Ipad mini
- Table top mount and charger
- Smart link receiver with control
- Wi-Fi access point

Cigar Lounge

- 46" F8000 Smart Evolution 3D full HD LED TV
- Ceiling speaker
- Ipad mini 16GB Wi-Fi
- Cover case for Ipad mini
- Smart link receiver with control
- Wi-Fi access point
- Flat mount kit for Zonelflex

Main galley

- Ceiling speaker
- Ipad mini 16GB Wi-Fi
- Cover case for Ipad mini
- Smart link receiver with control

Main Saloon/Dining

- 65" 3D LED screen
- Subwoofer amplifier
- Ceiling speaker
- Ceiling subwoofer
- Ipad mini 16GB Wi-Fi
- HDMI over CAT6 Receiver
- HDMI sender over single CAT6 Transmitter
- HDMI Extender over single CAT6
- Security sleeve for Ipad mini
- Tablet mount and charger
- Smart link receiver with control
- Wi-Fi access point

Main deck aft cockpit

- Subwoofer amplifier
- Ceiling speaker
- Ceiling subwoofer
- HDMI over CAT6 Receiver

Owner's cabin

- 65" 3D LED screen
- Subwoofer amplifier
- Ceiling speaker
- Ceiling subwoofer
- Ipad mini 16GB Wi-Fi
- HDMI over CAT6 Receiver
- HDMI sender over single CAT6 Transmitter
- HDMI Extender over single CAT6
- Security sleeve for Ipad mini
- Table top mount and charger
- Smart link receiver with control
- Wi-Fi access point
- Flat mount kit for zonelflex

Owner's Bathroom (Main deck)

- Ceiling speaker
- 32" Mirror TV
- Ceiling speaker
- HDMI over CAT6 Receiver

- HDMI sender over single CAT6 Transmitter
- HDMI Extender over single CAT6

Upper deck Captain's cabin

- 32" LED TV
- Stereo ceiling speaker
- Ipad mini 16 GB Wi-Fi
- Cover case for Ipad mini
- Smart link receiver with control
- Wi-Fi access point
- Flat mount kit for Zonelfex

Upper deck: Panoramic Saloon

- 55" LED TV
- Subwoofer Amplifier
- Ceiling speaker
- Ceiling Subwoofer
- Smart link receiver with control
- 1x2 HDMI Distribution Amplifier/Splitter.
- HDMI over CAT6 Receiver
- HDMI sender over single CAT6 Transmitter
- HDMI Extender over single CAT6
- Ipad mini 16 GB Wi-Fi
- Cover case for Ipad mini
- Wi-Fi access point
- Flat mount kit for Zonelflex

Sun deck

- 65" LED TV
- Ceiling speaker
- Ipad mini 16GB Wi-Fi
- Waterproof Ipad mini case
- Smart link receiver with control

Main Head End

- Analog audio input card
- 16-Channel digital audio power amplifier
- 8-Channel multi-room amplifier
- Stereo preamp output card with audio
- Smart audio 12-zone distributed audio platform
- Digital media receiver
- 7.2 Ch AV Receiver
- Blu-Ray audio / video network player
- 1-year limited warranty extension per Player
- Audio / Video network server
- Av Matrix switcher
- Infrared (ir) Emitter
- 4-channel HDMI input card
- Smartlink 4-port output module
- HD live media player
- Satellite receiver
- Desktop computer
- Savant Da Vinci Software license
- Pro Redundant
- Pro Host Surface Shelf with cover
- Smart control 8
- Infrared (ir) Emitter
- 24 ports switch
- Brush panel
- Patch panel
- 48 ports switch
- Brush panel
- Patch panel
- Router Firewall
- Smart wireless LAN controller
- 4TB Hard Drive
- Addressable RS-422/485 To RS-232 converter
- Four Module Enclose Surface Mount Lid
- Dual Low Voltage Relay Module
- Smart lighting controller
- Smart-ups RT 6000VA 230V
- Smart-ups Rt 19" Rail kit
- Remote Monitoring & management hardware
- Monitoring devices
- Power meter
- Modem/Router Boot Sequence PDU
- Sensor
- Axs System for Millwork and In-wall

Fuel system

- FRP fuel tanks
- All tanks provided with manholes, fill pipes, ventilation pipes, and connection pipes to manifold
- Fuel shutoff valve
- Fuel filters for engines and generators
- MIB 303 fuel filtration system
- Electric fuel transfer pump 380 Vac, 3-phase
- Electric fuel transfer pump 24 Vdc
- Emergency manual fuel transfer pump
- Isolation valves to fuel manifold
- Fuel fillers on port and starboard side deck
- Fuel lines are made of stainless steel/hoses
- Fuel pipe connections to engines/ generators by flexible hoses/stainless steel pipes

Bilge system

- High water level alarm system for each water tight compartment
- Automatic submersible bilge pumps to be fitted in each water tight compartment
- Fire and bilge line manifold system
- Electric pump with bypass valves for fire/ bilge purpose
- Hand operated diaphragm pump with bypass valves for suction of the bilges
- Bilge lines are made of CuNiFer/stainless steel/flexible hoses

Fire and safety system

- Electric pumps with bypass valves for firefighting purpose
- Electric pump for fire/bilge purpose
- Fire alarms connected with sensors placed in various area of the yacht
- Portable dry powder fire extinguishers in all areas
- Fire extinguishing system for the engine room
- Fuel shutoff valve
- Fire lines are made of CuNiFer/stainless steel pipes

Power and drive system

- Power assisted servo hydraulic steering system
- Hydraulic bow thruster 130 hp
- Trac 640 stabilizer system
- 2 x propellers, 5-bladed, AB2 material
- 2 x bronze P-brackets
- 2 x bronze rudders
- 2 x duplex steel tail shafts
- Seawater strainers for main engines/ generators
- Cathodic protection provided by zinc anodes

Black and grey water system

- FRP black water tank
- FRP grey water tank
- Waste water treatment system
- Tank level indication and alarm monitoring system
- Overboard discharge on side deck
- Black and grey water pumps works on automatically/manually
- Black and grey water pumps on 380415/ V, 3-phase
- Plumbing lines are made of uPVC pipes/ flexible hoses
- Electric toilets

Fresh water system

- FRP fresh water tank
- 2 x 380 VAC fresh water pump
- Pressurized hot and cold water system
- 4 x electric water heaters for hot water (each capacity 200 l)
- 3 x 220 VAC circulation pumps for hot water
- Filling and ventilations to side deck

- Dock connection for shore water supply on aft swimming platform with pressure reducer
- One handheld shower with hot and cold water supply on swimming platform
- Anchor wash down system with fresh water
- Wind screen wipers with fresh water washing system
- 2 x water makers 1,800 gal/day, 380415/ V, 3 phase, 50 Hz for fresh water
- Inline filters for fresh water system

Air conditioning system

- Chilled water air conditioning system with capacity 288,000 Btu
- All compressors on 380415/ V and air handlers on 220 VAC
- 3 x sea water pumps for chillers
- 3 x chiller water pumps
- Sea valves for sea water intake
- Chillers, chiller water pumps, sea water pumps placed in engine room
- All A/C supply and reverse plumbing lines are made of uPVC pipes
- All plumbing lines are well insulated
- A/C control switches in all areas
- Self contained A/C system for the engine room with capacity 2 x 24,000 Btu
- Sea water pump 230 Vac, 50 Hz
- Sea valve for sea water intake

- Self contained A/C system for the audio/ video rack with capacity 7,000 Btu
- Sea water pump 230 Vac, 50 Hz
- Sea valve for sea water intake
- Refrigeration system for the cold storage and freezer room
- Sea water pump
- Sea valve for sea water intake
- Cooling system in all open area
- 0 sun deck seating area, upper deck seating area, beach club

Lubricating oil changing system

- FRP fresh lube oil tank
- FRP dirty lube oil tank
- 2 x electric oil transfer pumps
- Manual oil change pump
- Manifold system

Appliances

- Main Galley
 - Fridge
 - Freezer
 - Wine Cooler
 - Ice Maker
- Integrated Cooker Hob (90cm)
- Combi Steam Oven
- Combi Oven
- Coffee Machine
- Oven (90cm)
- Combi Grill
- Tepan yaki
- Dishwasher
- Crew Lounge & Laundry Area
- Combi Fridge-Freezer
- Microwave Oven
- 4 zone Induction Hob
- Dishwasher
- 2 x Washer
- 2 x Dryer
- Stove
- Upper deck lobby
- Under counter Fridge
- Wine cooler
- Miscellaneous
- Safe
- Sundeck
- Chest Freezer
- Ice maker
- Under counter Fridge
- Barbeque grill

Interior specifications

Main deck

Saloon

- Electric patio door
- Sliding door to starboard side balcony
- Sofa seats and chairs
- Sofa side tables
- Shelves on port and starboard side
- Fitted carpet
- Wooden flooring
- Side windows black art blinds and roman blinds
- Architectural lighting
- Lighting switches and AC sockets
- Air conditioning
- Curtains for main saloon door

Main dining

- Dining table
- 12 x dining chairs
- Wooden flooring
- Low counters on port and starboard side
- Sliding door to main lobby
- Sliding door to main galley
- Side windows with roman blinds
- Architectural lighting
- Air conditioning

Main lobby

- Side pantograph door leading to starboard side gunwale
- Stairs down to lower deck guest lobby
- Stairs up to upper deck lobby
- Elevator
- Storage
- Architectural lighting
- Marble flooring

Day head

- Wash basin and tap with hot and cold water supply
- Mirror
- Electric toilet
- Shelves
- Marble flooring
- Architectural lighting

- Lighting switches and AC sockets
- Complete set of sanitary accessories

main galley

- Lockable water tight side pantograph door leading to port side gunwale
- Stainless steel sink and tap with hot and cold water supply
- Counter
- Overhear lockers
- Dining table and chairs
- Sofa seat
- Dumbwaiter
- Stairs down to crew lounge
- Vinyl flooring
- Windows with pleated blinds
- Air conditioning
- Architectural lighting
- Lighting switches and AC sockets

Cigar lounge

- Round table with four chairs
- Sofa seat and table
- Side window with roman blinds
- Vinyl flooring
- Water tight door to side balcony platform
- Air conditioning
- Architectural lighting
- Lighting switches and AC sockets

Owner's cabin

- Large double bed
- Bed side tables
- Vanity desk and stool
- Sofa seat with round table
- Sliding door to side balcony on the starboard side
- Fitted carpet
- Sliding doors to owner's WIC and bathroom
- Air conditioning
- Architectural lighting
- Reading lights
- Lighting switches and AC sockets

Owner's WIC

- 2 x wardrobes
- Loose stool
- Marble flooring
- Side window with pleated blinds

Owner's bathroom

- Sunward bath whirlpool with back
- 2 x wash basin and tap with hot and cold water supply
- Mirror
- Shower room
- Electric toilet
- Bidet
- Seat in shower room
- Shelves
- Side windows with pleated blinds
- Complete set of sanitary accessories
- Fitted carpet
- Marble flooring
- Architectural lighting
- Lighting switches and AC sockets

Upper deck

UD lounge

- Electric patio door to upper deck aft cockpit
- Sofa seats and table
- Sofa side table
- Round table with four chairs
- Wooden flooring
- Side windows with roman blinds
- Entrance door to upper deck lobby
- Air conditioning
- Architectural lighting
- Lighting switches and AC sockets

Pantry

- Sink with hot and cold water supply
- Counter
- 5 x bar stools
- Dumbwaiter
- Niche
- Marble flooring
- Architectural lighting
- Lighting switches and AC sockets

Upper deck lobby

- Elevator
- Marble flooring
- Stairs down to main lobby
- Entrance door to wheel house
- Entrance door to dayhead

UD dayhead

- Wash basin and tap with hot and cold water supply
- Electric toilet
- Marble flooring
- Side window with pleated blinds
- Complete set of sanitary accessories
- Architectural lighting
- Lighting switches and AC sockets

Wheel house

- Water tight doors on port and starboard side
- Sofa seat with table
- Sofa side tables
- Electrical distribution panel lockers
- Flag storage
- Storage for life jackets and extinguishers
- Chat lighting
- Architectural lighting
- Lighting switches and AC sockets

Captain cabin

- Large double bed
- Bed side tables
- Vanity desk
- Wardrobe
- Fitted carpet
- Side window with pleated blinds
- Air conditioning
- Architectural lighting
- Reading lights
- Lighting switches and AC sockets
- Entrance door to bathroom

Captain's bathroom

- Wash basin and tap with hot and cold water supply
- Mirror
- Electric toilet
- Shower room
- Seat in shower room
- Hot and cold water shower mixture
- Complete set of sanitary accessories
- Architectural lighting
- Lighting switches and AC sockets

Lower deck

Guest lobby

- Stairs up to main lobby
- Elevator
- Storage cabinets
- Fitted carpet
- Entrance door to port twin guest cabin
- Entrance door to starboard twin guest cabin
- Entrance door to port double guest cabin
- Entrance door to starboard double guest cabin
- Architectural lighting
- Lighting switches

Double guest cabin (port side)

- Large double bed
- Bed side tables
- Loose sofa
- Desk and stool
- Wardrobe
- Open shelf
- Fitted carpet
- Portholes with roman blinds and pleated blinds
- Air conditioning
- Architectural lighting
- Reading lights
- Lighting switches and AC sockets
- Entrance door to bathroom

Double guest bathroom (port side)

- Wash basin and tap with hot and cold water supply
- Shelves
- Mirror
- Electric toilet
- Bidet
- Shower room
- Seat in shower room
- Marble flooring
- Complete set of sanitary accessories
- Porthole with pleated blinds
- Architectural lighting
- Lighting switches and AC sockets

Double guest cabin (starboard side)

- Large double bed
- Bed side tables
- Loose sofa
- Desk and stool
- Wardrobe
- Open shelf

- Fitted carpet
- Portholes with roman blinds and pleated blinds
- Air conditioning
- Architectural lighting
- Reading lights
- Lighting switches and AC sockets
- Entrance door to bathroom

Double guest bathroom (starboard side)

- Wash basin and tap with hot and cold water supply
- Shelves
- Mirror
- Electric toilet
- Bidet
- Shower room
- Seat in shower room
- Marble flooring
- Complete set of sanitary accessories
- Porthole with pleated blinds
- Architectural lighting
- Lighting switches and AC sockets

Twin guest cabin (port side)

- 2 x single beds
- Vinyl flooring
- Drawers to beds
- Bed side tables
- Desk with stool
- Ward robe
- Fitted carpet
- Air conditioning
- Entrance door to ensuite
- Porthole with roman blinds and pleated blinds
- Architectural lighting
- Reading lights
- Lighting switches and AC sockets

Twin guest bathroom (port side)

- Wash basin and tap with hot and cold water supply
- Mirror
- Electric toilet
- Bidet
- Niche
- Shower area
- Shower seat
- Porthole with pleated blinds
- Complete set of sanitary accessories
- Marble flooring
- Architectural lighting
- Lighting switches and AC sockets

Twin guest cabin (starboard side)

- 2 x single beds
- Pullman bed
- Drawers to beds
- Bed side tables
- Desk with stool
- Ward robe
- Fitted carpet
- Air conditioning
- Entrance door to ensuite
- Porthole with roman blinds and pleated blinds
- Architectural lighting
- Reading lights
- Lighting switches and AC sockets

Twin guest bathroom (starboard side)

- Wash basin and tap with hot and cold water supply
- Mirror
- Electric toilet
- Bidet
- Niche
- Shower area
- Shower seat
- Porthole with pleated blinds
- Complete set of sanitary accessories
- Marble flooring
- Architectural lighting
- Lighting switches and AC socket

Crew lounge

- Stainless steel sink and tap with hot and cold water supply
- Vinyl flooring
- "U" shaped sofa
- Foldable dining table
- Storage under the sofa
- Open shelves
- Portholes with pleated blinds
- Air conditioning
- Architectural lighting
- Lighting switches and AC sockets

Laundry area

- Cold storage

- Freezer room
- Linen storage
- Air conditioning
- Vinyl flooring

Crew cabin 1 (port side)

- 2 x single bunk beds
- Pullman bed
- Wardrobe
- Vanity with stool
- Open shelf
- Storage
- Vinyl flooring
- Porthole with pleated blinds
- Entrance door to ensuite
- Air conditioning
- Architectural lighting
- Reading lights
- Lighting switches and AC sockets
- V20160805_Rev 02_Displacement P a g e | 26

Crew bathroom (port side)

- Sink and tap with hot and cold water supply
- Electric toilet
- Mirror
- Open shelves
- Storage cabinet
- Shower room
- Niche in shower room
- Complete set of sanitary accessories
- Architectural lighting
- Lighting switches and AC sockets

Crew cabin 2 (starboard side)

- 2 x single bunk beds
- Pullman bed
- Wardrobe
- Vanity with stool
- Open shelf
- Storage
- Vinyl flooring
- Porthole with pleated blinds
- Entrance door to ensuite
- Air conditioning
- Architectural lighting
- Reading lights
- Lighting switches and AC sockets
- Crew bathroom (starboard side)
- Sink and tap with hot and cold water supply

Crew bathroom (starboard side)

- Electric toilet
- Mirror
- Open shelves
- Storage cabinet
- Shower room
- Niche in shower room
- Complete set of sanitary accessories
- Architectural lighting
- Lighting switches and AC sockets
- V20160805_Rev 02_Displacement P a g e | 27
- Crew cabin 03 (port side)
- 2 x single bunk beds
- Wardrobe
- Vinyl flooring
- Entrance door to ensuite
- Air conditioning
- Architectural lighting
- Reading lights
- Lighting switches and AC sockets
- Crew bathroom (port side)
- Sink and tap with hot and cold water supply

Crew bathroom (port side)

- Electric toilet
- Mirror
- Shower
- Storage cabinet
- Complete set of sanitary accessories
- Architectural lighting
- Lighting switches and AC sockets
- Crew cabin 04 (starboard side)
- 2 x single bunk beds
- Wardrobe
- Vinyl flooring
- Entrance door to ensuite
- Air conditioning
- Architectural lighting
- Reading lights
- Lighting switches and AC sockets
- Crew bathroom (starboard side)
- Sink and tap with hot and cold water supply
- Electric toilet
- Mirror
- Shower
- Storage cabinet
- Complete set of sanitary accessories
- Architectural lighting
- Lighting switches and AC sockets



P.O. Box 666, Sheikh Khalifa Bin Zayed Street, Ajman, United Arab Emirates

T. +971 6 7406060, F. +971 6 7406062, gci@gulfcraftinc.com

www.gulfcraftinc.com

www.majesty-yachts.com

V 03. 2017

Pictures in this catalogue may be taken from different vessels of the same type for example purpose only. Performance estimates are given in good faith, but are in no way guaranteed. Dirt on the hull, damage to the propellers, external water and air temperatures and added weight, fuel and water carried can all adversely affect performance. For these and other reasons we can give no performance guarantees. Data and characteristics are not binding: details, colors, descriptions and illustrations are for information purpose only. The drawings and pictures may include specific equipment or modifications which are not part of the standard specifications of the vessel. Standard specifications may be defined differently in different sales territories. Gulf Craft Inc. reserves the right to make any changes in specifications or equipment without prior notice. In case on any inconsistencies between specification sheet, product catalogue and price list, the price list prevails. Customers are recommended to contact one of our sales representatives to reconfirm standard and optional features on the vessels.

SETTING NEW STANDARDS OF LUXURY

by *Gulf Craft*

V 0.3 2017